

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 1 / 8

SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

Phosphate HR No. 1 Photometer

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Reagent for analysis of water

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Pool-i.d. GmbH

Daimlerstrasse 20
76344 Eggenstein / GERMANY
Phone +49(0)721-782029-0
Fax +49(0)721-782029-11
Homepage www.pool-id.com
E-mail info@pool-id.com

Address enquiries to

Technical information

info@pool-id.com

Safety Data Sheet

sdb@chemiebuero.de

1.4 Emergency phone

Advisory body

+49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

see SECTION 16

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols



Harmful

R-phrases

R 22: Harmful if swallowed.
R 41: Risk of serious damage to eyes.

The product is classified and required to be labelled in accordance with EC-Directives

2.2 Label elements

Labelling according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols



Harmful

Contains:

Ammonium chloride

R-phrases

R 22: Harmful if swallowed.
R 41: Risk of serious damage to eyes.

S-phrases

S 2: Keep out of the reach of children.
S 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 39: Wear eye/face protection.
S 46: If swallowed, seek medical advice immediately and show this container or label.

2.3 Other hazards

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 2 / 8

SECTION 3: Composition / Information on ingredients

3.1 Product-type:

The product is a mixture.

Range [%]	Substance
40 - <60	Sodium hydrogensulphate CAS: 7681-38-1, EINECS/ELINCS: 231-665-7, EU-INDEX: 016-046-00-X GHS/CLP: Eye Dam. 1 - H318 EEC: Xi, R 41
25 - <30	Ammonium chloride CAS: 12125-02-9, EINECS/ELINCS: 235-186-4, EU-INDEX: 017-014-00-8 GHS/CLP: Acute Tox. 4 - H302 - Eye Irrit. 2 - H319 EEC: Xn, R 22-36

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No dangerous reactions known if used as directed.

Inhalation

Ensure supply of fresh air.

Skin contact

In case of contact with skin wash off with warm water.

Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

Sulphur oxides (SOx).

Nitrogen oxides (NOx).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 3 / 8

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically. Avoid production of dust.

Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid the formation and deposition of dust.

Wash hands before breaks and after work.

Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store with alkalis.

Do not store together with metals.

Keep container tightly closed.

Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection**8.1 Control parameters****Ingredients with occupational exposure limits to be monitored (GB)**

Range [%]	Substance
25 - <30	Ammonium chloride
	CAS: 12125-02-9, EINECS/ELINCS: 235-186-4, EU-INDEX: 017-014-00-8
	Long-term exposure: 10 mg/m ³
	Short-term exposure (15-minute): 20 mg/m ³

8.2 Exposure controls

Additional advice on system design To pay attention to dust limit value (ACGHI-2011: 10 mg/m³ particle inhalable; 3 mg/m³ particle respirable).

Eye protection safety glasses

Hand protection The details concerned are recommendations. Please contact the glove supplier for further information.

In full contact

Butyl rubber, >480 min (EN 374).

Skin protection Not required under normal conditions.

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.

Respiratory protection Not required under normal conditions.

Thermal hazards not applicable

Delimitation and monitoring of the environmental exposition See SECTION 6+7.

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	tablet
Color	white
Odor	characteristic
Odour threshold	not determined
pH-value	1,2 (4,8 g/l) Aqueous solution
pH-value [1%]	not determined
Boiling point [°C]	not determined
Flash point [°C]	not applicable
Flammability [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	not determined
Bulk density [kg/m ³]	not determined
Solubility in water	soluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	not applicable
Relative vapour density determined in air	not applicable
Evaporation speed	not applicable
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature	not applicable

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with alkalis (lyes).
Reactions with acids.
Reactions with strong oxidizing agents.

10.4 Conditions to avoid

Warming
Contact with moisture.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
40 - <60	Sodium hydrogensulphate, CAS: 7681-38-1 LD50, oral, Rat: 2490 mg/kg.
25 - <30	Ammonium chloride, CAS: 12125-02-9 LD50, oral, Rat: 1650 mg/kg (IUCLID).

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	(CAS 12125-02-9, IUCLID) Ames-test: negative.
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	

Toxicological data of complete product are not available.
The product was classified on the basis of the calculation procedure of the preparation directive.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
40 - <60	Sodium hydrogensulphate, CAS: 7681-38-1 EC50, (48h), Daphnia magna: 190 mg/l.
25 - <30	Ammonium chloride, CAS: 12125-02-9 LC50, (96h), Salmo clarki: 123,8 - 166,6 mg/l (IUCLID). EC50, (48h), Daphnia magna: > 100 mg/l (Lit.).

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

LogPow: -4,37 (CAS 12125-02-9, Lit.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 6 / 8

12.6 Other adverse effects

Ecological data of complete product are not available.

No classification on the basis of the calculation procedure of the preparation directive.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Waste no. (recommended)

160303*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 7 / 8

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	Observe employment restrictions for young people. Observe employment restrictions for mothers-to-be and nursing mothers.
- VOC (1999/13/CE)	not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**16.1 Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazard pictograms



Signal word

DANGER

Acute Tox. 4 - H302 Harmful if swallowed.
Eye Dam. 1 - H318 Causes serious eye damage.

Classification procedure

Classification according to conversion table Annex VII 1272/2008/EC

16.2 R-phrases (SECTION 3)

R 41: Risk of serious damage to eyes.
R 22: Harmful if swallowed.
R 36: Irritating to eyes.

16.3 Hazard statements (SECTION 3)

H318 Causes serious eye damage.
H302 Harmful if swallowed.
H319 Causes serious eye irritation.

Pool-i.d. GmbH
76344 Eggenstein

Date printed 14.03.2013, Revision 14.03.2013

Version 01

Page 8 / 8

16.4 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
 CAS = Chemical Abstracts Service
 CLP = Classification, Labelling and Packaging
 DMEL = Derived Minimum Effect Level
 DNEL = Derived No Effect Level
 EC50 = Median effective concentration
 ECB = European Chemicals Bureau
 EEC = European Economic Community
 EINECS = European Inventory of Existing Commercial Chemical Substances
 ELINCS = European List of Notified Chemical Substances
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
 IC50 = Inhibition concentration, 50%
 IMDG = International Maritime Code for Dangerous Goods
 IUCLID = International Uniform Chemical Information Database
 LC50 = Lethal concentration, 50%
 LD50 = Median lethal dose
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships
 PBT = Persistent, Bioaccumulative and Toxic substance
 PNEC = Predicted No-Effect Concentration
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 TLV@/TWA = Threshold limit value – time-weighted average
 TLV@STEL = Threshold limit value – short-time exposure limit
 VOC = Volatile Organic Compounds
 vPvB = very Persistent and very Bioaccumulative

Modified position none

16.5 Other information

Copyright: Chemiebüro®